

week3: Kapitel 4: Das N-Perioden Binomialmodell, Teil1

(stetige Verzinsung brauchen wir erst später)

Let S be some tradable asset with prices

$$S_k = S(t_k), \quad k = 0, 1, 2, \dots \quad (1)$$

and let

$$H = H(S_0, S_1, \dots, S_{N-1}, S_N) \quad (2)$$

be some option payoff with start date t_0 and end date or maturity t_N . We want to replicate the option payoff (2) with a suitable trading strategy in the underlying S . For notational simplicity let us assume first that we have zero interest rates $r = 0$. From the last chapter we know that a trading strategy holding δ_k assets at the end of day t_k generates the amount

$$V_N = V_0 + \sum_{j=1}^N \delta_{j-1}(S_j - S_{j-1}) \quad (3)$$

Each δ_k will be determined on the end of trading day t_k . On such a day, the asset prices S_0, S_1, \dots, S_k are known, but the asset prices $S_{k+1}, S_{k+2}, \dots, S_N$ are not known yet, they are lying in the future. Thus, δ_k can be a function only of the known prices S_0, \dots, S_k ,

$$\delta_k = \delta_k(S_0, S_1, \dots, S_{k-1}, S_k) \quad (4)$$

Definition 4.1: We say that an option payoff (2) can be replicated by a suitable trading strategy in the underlying if and only if there are choices of δ_k of the form (4) and some initial amount V_0 such that (in case of zero interest rates)

$$H(S_0, S_1, \dots, S_{N-1}, S_N) = V_0 + \sum_{j=1}^N \delta_{j-1}(S_j - S_{j-1}) \quad (5)$$

The **initial amount** V_0 which is needed to set up the replicating strategy is called the theoretical fair value of H or **the price of the option H**. The process of replicating an option payoff H through formula (5), that is, through a trading strategy which holds δ_j pieces of the underlying S at the end of day t_j , is called **hedging**.

Now let us consider the question to what extent replication of options is possible. Equation (5) can be rewritten as

$$H(S_0, S_1, \dots, S_{N-1}, S_N) = V_{N-1} + \delta_{N-1}(S_N - S_{N-1})$$

or

$$\begin{aligned} H(S_0, S_1, \dots, S_{N-1}, S_N) - \delta_{N-1} S_N &= V_{N-1} - \delta_{N-1} S_{N-1} \\ &= \text{some function of } S_0, S_1, \dots, S_{N-1} \end{aligned} \quad (6)$$

That is, the right hand side of (6) is independent of S_N . Let us introduce the return of the asset S from t_{k-1} to t_k ,

$$\text{ret}_k := \frac{S_k - S_{k-1}}{S_{k-1}} = \frac{S_k}{S_{k-1}} - 1 \quad (7)$$

such that

$$S_k = S_{k-1}(1 + \text{ret}_k) \quad (8)$$

Then equation (6) can be rewritten as

$$H(S_0, S_1, \dots, S_{N-1}, S_{N-1}(1 + \text{ret}_N)) - \delta_{N-1} S_{N-1}(1 + \text{ret}_N) = \text{const} \quad (9)$$

where the const in the equation above means that the left hand side of (9) has to be the same for all possible choices of ret_N . Since there is only 1 free parameter in (9), namely δ_{N-1} , we can only allow for 2 possible choices for ret_N , say,

$$\text{ret}_N \in \{\text{ret}_{\text{up}}, \text{ret}_{\text{down}}\} \quad (10)$$

and in that case we have to have

$$\begin{aligned} &H(S_0, S_1, \dots, S_{N-1}, S_{N-1}(1 + \text{ret}_{\text{up}})) - \delta_{N-1} S_{N-1}(1 + \text{ret}_{\text{up}}) = \\ &H(S_0, S_1, \dots, S_{N-1}, S_{N-1}(1 + \text{ret}_{\text{down}})) - \delta_{N-1} S_{N-1}(1 + \text{ret}_{\text{down}}) \end{aligned}$$

which determines δ_{N-1} to

$$\delta_{N-1} = \frac{H(S_0, \dots, S_{N-1}, S_{N-1}(1 + \text{ret}_{\text{up}})) - H(S_0, \dots, S_{N-1}, S_{N-1}(1 + \text{ret}_{\text{down}}))}{S_{N-1}(1 + \text{ret}_{\text{up}}) - S_{N-1}(1 + \text{ret}_{\text{down}})} \quad (11)$$

Thus, if we allow for 2 possible choices of returns only as in (10), replication of option payoffs seem to be possible. This leads to the following

Definition 4.2: If the price process $S_k = S(t_k)$ of some tradable asset S has the dynamics

$$S_k = S_{k-1}(1 + \text{ret}_k) \quad \text{with} \quad \text{ret}_k \in \{\text{ret}_{\text{up}}, \text{ret}_{\text{down}}\} \quad (12)$$

for all k , then we say that S is given by the Binomial model.

Remark: Observe that in Definition 4.2 we have not introduced any probabilities for an up- or down-move, that is, we have not specified a probability p_{up} such that an up-return ret_{up} will occur and a probability $p_{\text{down}} = 1 - p_{\text{up}}$ for the occurrence of a down-return. We did that because the replicating strategy and the theoretical option fair value V_0 are actually independent of such probabilities.

Now we are in a position to formulate the following important

Theorem 4.1: Let S be some tradable asset whose price process is given by the Binomial model (12). Let r be some interest rate per period such that cash amounts G change their values according to $G \xrightarrow{t_{k-1} \rightarrow t_k} G(1+r)$. Then every option payoff

$$H = H(S_0, \dots, S_N)$$

can be replicated. A replicating strategy is given by, for $k = 0, 1, \dots, N-1$:

$$\delta_k = \delta_k(S_0, \dots, S_k) = \frac{V_{k+1}^{\text{up}} - V_{k+1}^{\text{down}}}{S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}}} \quad (13)$$

with the abbreviations

$$\begin{aligned} S_{k+1}^{\text{up/down}} &:= S_k (1 + \text{ret}_{\text{up/down}}) \\ V_{k+1}^{\text{up/down}} &:= V_{k+1}(S_0, \dots, S_k, S_{k+1}^{\text{up/down}}) \end{aligned}$$

and the portfolio values V_k , including the theoretical fair value, the option price V_0 , can be inductively calculated through the following formulae:

$$V_k = (1+r)^k v_k$$

with discounted portfolio values v_k given recursively by

$$v_k = w_{\text{up}} v_{k+1}^{\text{up}} + w_{\text{down}} v_{k+1}^{\text{down}} \quad (14)$$

and the recursion starts at $k = N$ with discounted portfolio values

$$v_N := (1+r)^{-N} H(S_0, \dots, S_N)$$

The weights w_{up} and w_{down} are given by

$$w_{\text{up}} = \frac{r - \text{ret}_{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \quad (15)$$

$$w_{\text{down}} = 1 - w_{\text{up}} = \frac{\text{ret}_{\text{up}} - r}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \quad (16)$$

Proof: For nonzero interest rates we have

$$v_N = v_0 + \sum_{j=1}^N \delta_{j-1} (s_j - s_{j-1})$$

which is equivalent to

$$v_{k+1} = v_k + \delta_k (s_{k+1} - s_k) \quad \forall k = 0, 1, \dots, N-1 \quad (17)$$

We have

$$v_{k+1} = v_{k+1}(S_0, \dots, S_k, S_{k+1}) = v_{k+1}(S_0, \dots, S_k, S_k(1 + \text{ret}_k))$$

and the return ret_k can be an up-move or a down-move in which case we get

$$\begin{aligned} v_{k+1}^{\text{up}} &= v_{k+1}(S_0, \dots, S_k, S_{k+1}^{\text{up}}) = v_{k+1}(S_0, \dots, S_k, S_k(1 + \text{ret}_{\text{up}})) \\ v_{k+1}^{\text{down}} &= v_{k+1}(S_0, \dots, S_k, S_{k+1}^{\text{down}}) = v_{k+1}(S_0, \dots, S_k, S_k(1 + \text{ret}_{\text{down}})) \end{aligned}$$

From (17), we have

$$\begin{aligned} v_{k+1}^{\text{up}} &= v_k + \delta_k(s_{k+1}^{\text{up}} - s_k) \\ v_{k+1}^{\text{down}} &= v_k + \delta_k(s_{k+1}^{\text{down}} - s_k) \end{aligned}$$

Thus,

$$v_{k+1}^{\text{up}} - v_{k+1}^{\text{down}} = \delta_k(s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}})$$

or

$$\delta_k = \frac{v_{k+1}^{\text{up}} - v_{k+1}^{\text{down}}}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} = \frac{e^{-rt_{k+1}}(V_{k+1}^{\text{up}} - V_{k+1}^{\text{down}})}{e^{-rt_{k+1}}(S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}})} = \frac{V_{k+1}^{\text{up}} - V_{k+1}^{\text{down}}}{S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}}}$$

Solving (17) for v_k ,

$$\begin{aligned} v_k &= v_{k+1} - \delta_k(s_{k+1} - s_k) \\ &= v_{k+1}^{\text{up}} - \delta_k(s_{k+1}^{\text{up}} - s_k) \\ &= v_{k+1}^{\text{down}} - \delta_k(s_{k+1}^{\text{down}} - s_k) \end{aligned}$$

Let's take the up-equation and substitute the value for δ_k (we also could use the down-equation, we would end up with the same result),

$$\begin{aligned} v_k &= v_{k+1}^{\text{up}} - \delta_k(s_{k+1}^{\text{up}} - s_k) \\ &= v_{k+1}^{\text{up}} - \frac{v_{k+1}^{\text{up}} - v_{k+1}^{\text{down}}}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}}(s_{k+1}^{\text{up}} - s_k) \\ &= \frac{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} v_{k+1}^{\text{up}} - (v_{k+1}^{\text{up}} - v_{k+1}^{\text{down}}) \frac{s_{k+1}^{\text{up}} - s_k}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} \\ &= \frac{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}} - s_{k+1}^{\text{up}} + s_k}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} v_{k+1}^{\text{up}} + \frac{s_{k+1}^{\text{up}} - s_k}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} v_{k+1}^{\text{down}} \\ &= \frac{s_k - s_{k+1}^{\text{down}}}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} v_{k+1}^{\text{up}} + \frac{s_{k+1}^{\text{up}} - s_k}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} v_{k+1}^{\text{down}} \\ &=: w_{\text{up}} v_{k+1}^{\text{up}} + w_{\text{down}} v_{k+1}^{\text{down}} \end{aligned}$$

with weights w_{up} and w_{down} which apparently add up to 1 and, using the abbreviation $R := 1 + r$,

$$w_{\text{up}} = \frac{s_k - s_{k+1}^{\text{down}}}{s_{k+1}^{\text{up}} - s_{k+1}^{\text{down}}} = \frac{R^{-k}S_k - R^{-(k+1)}S_{k+1}^{\text{down}}}{R^{-(k+1)}(S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}})} = \frac{RS_k - S_{k+1}^{\text{down}}}{S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}}}$$

or

$$\begin{aligned}w_{\text{up}} &= \frac{(1+r)S_k - S_{k+1}^{\text{down}}}{S_{k+1}^{\text{up}} - S_{k+1}^{\text{down}}} = \frac{(1+r)S_k - S_k(1 + \text{ret}_{\text{down}})}{S_k(1 + \text{ret}_{\text{up}}) - S_k(1 + \text{ret}_{\text{down}})} \\ &= \frac{r - \text{ret}_{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}}\end{aligned}$$

and the theorem is proven. ■

Beispiel: Standard-Kauf-Option in einem 3-Perioden Binomialmodell → Ü-Blatt 3