

## Kapitel 7: Die Black-Scholes PDE

In chapter 5, we approximated the Black-Scholes model

$$dS_t/S_t = \mu dt + \sigma dx_t \quad (1)$$

with a suitable Binomial model and were able to derive a pricing formula for option payoffs  $H = H(S_T)$ . The time 0 theoretical fair value is given by

$$V_0^{\text{BS}} = e^{-rT} \int_{\mathbb{R}} H(S_0 e^{\sigma\sqrt{T}y} e^{(r-\frac{\sigma^2}{2})T}) \frac{1}{\sqrt{2\pi}} e^{-\frac{1}{2}y^2} dy \quad (2)$$

One can show that this quantity can also be obtained as the unique solution of the following partial differential equation:  $V_0^{\text{BS}} = V(S = S_0, t = 0)$  where  $V(S, t)$  is a solution of

$$\frac{\partial V}{\partial t} + \frac{\sigma^2}{2} S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0 \quad (3)$$

$$V(S, t = T) = H(S) \quad (4)$$

Equation (3) is called the Black-Scholes equation. Instead of doing just a brute force calculation and checking that indeed (2) is a solution of (3), which would give no further insight in the origin of (3), we will now derive (3,4) as the continuous time limit of the recursion relations for the replicating portfolio values in the approximating Binomial model. Recall from Theorem 2.1 that the replicating strategy  $\delta_{t_k}$  and the portfolio values  $V_{t_k}$  can be inductively (from  $k = N$  to  $k = 0$ ) calculated through the following formulae:

$$V_{t_k} = \frac{(1 - d_{\Delta t} - d_{\Delta t} \text{ret}_{\text{down}}) V_{t_{k+1}}^{\text{up}} - (1 - d_{\Delta t} - d_{\Delta t} \text{ret}_{\text{up}}) V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \quad (5)$$

$$V_{t_N} = H$$

where

$$V_{t_{k+1}}^{\text{up,down}} := V_{t_{k+1}}(S_{t_k}(1 + \text{ret}_{\text{up,down}})) \quad (6)$$

and, with time steps  $t_k = k\Delta t$ , the discount factor  $d_{k,k+1} = e^{-r(t_{k+1}-t_k)}$  of Theorem 2.1 becomes

$$d_{k,k+1} = e^{-r\Delta t} \quad (7)$$

The delta's are obtained from

$$\delta_{t_k} = \frac{V_{t_{k+1}}(S_{t_k}(1 + \text{ret}_{\text{up}})) - V_{t_{k+1}}(S_{t_k}(1 + \text{ret}_{\text{down}}))}{S_{t_k}(1 + \text{ret}_{\text{up}}) - S_{t_k}(1 + \text{ret}_{\text{down}})} \quad (8)$$

The Binomial model which approximates the Black-Scholes model (1) is given by

$$\text{ret}_{\text{up}} = \mu\Delta t + \sigma\sqrt{\Delta t} \quad (9)$$

$$\text{ret}_{\text{down}} = \mu\Delta t - \sigma\sqrt{\Delta t} \quad (10)$$

The delta's of (8) simply become

$$\delta_t = \frac{\partial V(S_t, t)}{\partial S_t} \quad (11)$$

in the continuum limit  $\Delta t \rightarrow 0$ . Now let us consider the continuum limit of (5). To get a feeling for the problem, let us first put the interest rates to zero,  $r = 0$ . In that case (5) reduces to

$$\begin{aligned} V_{t_k} &= \frac{-\text{ret}_{\text{down}} V_{t_{k+1}}^{\text{up}} + \text{ret}_{\text{up}} V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \\ &= \frac{(-\mu\Delta t + \sigma\sqrt{\Delta t}) V_{t_{k+1}}^{\text{up}} + (\mu\Delta t + \sigma\sqrt{\Delta t}) V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} \\ &= \frac{V_{t_{k+1}}^{\text{up}} + V_{t_{k+1}}^{\text{down}}}{2} - \mu\Delta t \frac{V_{t_{k+1}}^{\text{up}} - V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} \end{aligned} \quad (12)$$

Motivated by the Black-Scholes equation where a term  $\frac{\partial V}{\partial t}$  shows up, we subtract on both sides of (12) the term  $V_{t_{k+1}}(S_{t_k})$ ,

$$\begin{aligned} V_{t_k}(S_{t_k}) - V_{t_{k+1}}(S_{t_k}) &= \frac{V_{t_{k+1}}^{\text{up}} + V_{t_{k+1}}^{\text{down}}}{2} - \mu\Delta t \frac{V_{t_{k+1}}^{\text{up}} - V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} - V_{t_{k+1}}(S_{t_k}) \\ &= \frac{V_{t_{k+1}}^{\text{up}} - 2V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) + V_{t_{k+1}}^{\text{down}}}{2} - \mu\Delta t \frac{V_{t_{k+1}}^{\text{up}} - V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} \\ &\quad + V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) - V_{t_{k+1}}(S_{t_k}) \end{aligned} \quad (13)$$

We divide this by  $\Delta t$  and obtain

$$\frac{V_{t_k}(S_{t_k}) - V_{t_{k+1}}(S_{t_k})}{\Delta t} = \text{term}_1 + \text{term}_2 + \text{term}_3 \quad (14)$$

with the following quantities:

$$\begin{aligned} \text{term}_1 &= \frac{V_{t_{k+1}}^{\text{up}} - 2V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) + V_{t_{k+1}}^{\text{down}}}{2\Delta t} \\ &= \frac{\sigma^2 S_{t_k}^2}{2} \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t + \sigma\sqrt{\Delta t})) - 2V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) + V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t - \sigma\sqrt{\Delta t}))}{(S_{t_k} \sigma\sqrt{\Delta t})^2} \\ &\xrightarrow{\Delta t \rightarrow 0} \frac{\sigma^2 S_{t_k}^2}{2} \frac{\partial^2 V}{(\partial S_{t_k})^2} \end{aligned} \quad (15)$$

$$\begin{aligned} \text{term}_2 &= -\mu \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t + \sigma\sqrt{\Delta t})) - V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t - \sigma\sqrt{\Delta t}))}{2\sigma\sqrt{\Delta t}} \\ &= -\mu S_{t_k} \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t + \sigma\sqrt{\Delta t})) - V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t - \sigma\sqrt{\Delta t}))}{2S_{t_k} \sigma\sqrt{\Delta t}} \\ &\xrightarrow{\Delta t \rightarrow 0} -\mu S_{t_k} \frac{\partial V}{\partial S_{t_k}} \end{aligned} \quad (16)$$

$$\begin{aligned}
\text{term}_3 &= \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) - V_{t_{k+1}}(S_{t_k})}{\Delta t} \\
&= S_{t_k}\mu \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t)) - V_{t_{k+1}}(S_{t_k})}{S_{t_k}\mu\Delta t} \\
&\xrightarrow{\Delta t \rightarrow 0} \mu S_{t_k} \frac{\partial V}{\partial S_{t_k}}
\end{aligned} \tag{17}$$

Thus, with the notation  $V = V(S_t, t)$  instead of  $V_{t_k}(S_{t_k})$ , we get

$$\begin{aligned}
-\frac{\partial V(S_t, t)}{\partial t} &= \lim_{\Delta t \rightarrow 0} \frac{V_{t_k}(S_{t_k}) - V_{t_{k+1}}(S_{t_k})}{\Delta t} \\
&= \frac{\sigma^2 S_t^2}{2} \frac{\partial^2 V(S_t, t)}{\partial S_t^2} - \mu S_t \frac{\partial V(S_t, t)}{\partial S_t} + \mu S_t \frac{\partial V(S_t, t)}{\partial S_t}
\end{aligned}$$

or

$$\frac{\partial V(S_t, t)}{\partial t} + \frac{\sigma^2 S_t^2}{2} \frac{\partial^2 V(S_t, t)}{\partial S_t^2} = 0 \tag{18}$$

which is the Black-Scholes equation for zero interest rates. To obtain the Black-Scholes equation with nonzero interest rates, we rewrite (5) as follows:

$$\begin{aligned}
V_{t_k} &= \frac{(1 - d_{\Delta t} - d_{\Delta t} \text{ret}_{\text{down}}) V_{t_{k+1}}^{\text{up}} - (1 - d_{\Delta t} - d_{\Delta t} \text{ret}_{\text{up}}) V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \\
&= \frac{-\text{ret}_{\text{down}} V_{t_{k+1}}^{\text{up}} + \text{ret}_{\text{up}} V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \\
&\quad + \frac{(1 - d_{\Delta t} - (d_{\Delta t} - 1) \text{ret}_{\text{down}}) V_{t_{k+1}}^{\text{up}} - (1 - d_{\Delta t} - (d_{\Delta t} - 1) \text{ret}_{\text{up}}) V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}}
\end{aligned} \tag{19}$$

The first term in (19) is the contribution for zero interest rates and has been considered following (12). The second term in (19),

$$(1 - d_{\Delta t}) \times \frac{(1 + \text{ret}_{\text{down}}) V_{t_{k+1}}^{\text{up}} - (1 + \text{ret}_{\text{up}}) V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \tag{20}$$

is new. Thus, for non zero interest rates (14) changes to

$$\frac{V_{t_k}(S_{t_k}) - V_{t_{k+1}}(S_{t_k})}{\Delta t} = \text{term}_1 + \text{term}_2 + \text{term}_3 + \text{term}_4 \tag{21}$$

with a fourth term given by

$$\begin{aligned}
\text{term}_4 &= \frac{1 - d_{\Delta t}}{\Delta t} \times \left\{ \frac{V_{t_{k+1}}^{\text{up}} - V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} + \frac{\text{ret}_{\text{down}} V_{t_{k+1}}^{\text{up}} - \text{ret}_{\text{up}} V_{t_{k+1}}^{\text{down}}}{\text{ret}_{\text{up}} - \text{ret}_{\text{down}}} \right\} \\
&= \frac{1 - e^{-r\Delta t}}{\Delta t} \times \left\{ \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t + \sigma\sqrt{\Delta t})) - V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t - \sigma\sqrt{\Delta t}))}{2\sigma\sqrt{\Delta t}} \right. \\
&\quad \left. + \frac{(\mu\Delta t - \sigma\sqrt{\Delta t}) V_{t_{k+1}}^{\text{up}} - (\mu\Delta t + \sigma\sqrt{\Delta t}) V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} \right\} \\
&= \frac{1 - e^{-r\Delta t}}{\Delta t} \times \left\{ S_{t_k} \frac{V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t + \sigma\sqrt{\Delta t})) - V_{t_{k+1}}(S_{t_k}(1 + \mu\Delta t - \sigma\sqrt{\Delta t}))}{2S_{t_k}\sigma\sqrt{\Delta t}} \right. \\
&\quad \left. + \mu\Delta t \frac{V_{t_{k+1}}^{\text{up}} - V_{t_{k+1}}^{\text{down}}}{2\sigma\sqrt{\Delta t}} - \frac{V_{t_{k+1}}^{\text{up}} + V_{t_{k+1}}^{\text{down}}}{2} \right\} \\
&\xrightarrow{\Delta t \rightarrow 0} r \times \left\{ S_{t_k} \frac{\partial V}{\partial S_{t_k}} + 0 - V \right\} \tag{22}
\end{aligned}$$

and (21) becomes

$$-\frac{\partial V(S_t, t)}{\partial t} = \frac{\sigma^2 S_t^2}{2} \frac{\partial^2 V(S_t, t)}{\partial S_t^2} + r S_t \frac{\partial V(S_t, t)}{\partial S_t} - r V \tag{23}$$

which is the Black-Scholes equation (3) with non zero interest rates.