## VL7: Kapitel 3: Real World and Risk Neutral Probabilities, Teil1

As we have remarked after Definition 2.2, we have not specified any probabilities in the definition of the Binomial model. We did that since, from the view point of option pricing, the decisive property of this model is that, in going from one time step to the next, there are only two possible choices. As a consequence, we could prove in Theorem 2.1 that in this model every option payoff  $H = H(S_0, S_1, \dots, S_N)$  can be replicated exactly by a suitable trading strategy in the underlying S. Furthermore, we were able write down some recursion relations which put us in a position to calculate the replicating strategy  $\{\delta_k\}_{k=0,1,\dots,N-1}$  with  $\delta_k = \delta_k(S_0, \dots, S_k)$  and the option price  $V_0$ .

In remark (1) following Theorem 2.1 we pointed out that if the option payoff is not path dependent but depends only on the underlying price at maturity,  $H = H(S_N)$ , then also the replicating strategy  $\delta_k$  and the portfolio values  $V_k$  at time step  $t_k$  are not path dependent, but depend only on the underlying price  $S_k = S(t_k)$ . As a consequence, to calculate the option price of some non path dependent option  $H = H(S_N)$ , it is sufficient to consider the following tree structure, a recombining binomial tree with n + 1 leaves at time step  $t_n$ , and to assign portfolio values to each node of this tree:



*n*-period recombining binomial tree with n + 1 leaves, n = 3

However, if we want to price some path dependent option, then, if we want to do this with the recursion relations of Theorem 2.1, we have to consider the following non recombining binary tree structure with  $2^n$  leaves at time step  $t_n$ :



*n*-period binary tree with  $2^n$  leaves, n = 3

Since for example  $2^{250} \approx 10^{75.26}$  is not that much different (well, by a factor of 100'000) from the number of estimated atoms in the universe,  $10^{80}$ , it is obvious that calculating with the recursion relation is not practical for the pricing of path dependent (or so called 'exotic') derivatives. Thus, a different method is needed and fortunately there is a much more practical method.

## **Risk Neutral Probabilities**

We go back to Definition 2.2, that was the definition of the Binomial model, and introduce some probabilities. That is, we write

$$S_{k} = S_{k-1} \times \begin{cases} (1 + \operatorname{ret}_{up}) & \text{with some probability } p \\ (1 + \operatorname{ret}_{down}) & \text{with probability } 1 - p \end{cases}$$
(1)

thereby making the price process  $\{S_k\}_{k=0}^N$  to a stochastic process. We know already that option prices do not depend on p. Now we use that fact to make a special choice for p which will allow us to calculate option prices, also for path dependent options, in a practical and efficient way. From Theorem 2.1, we know that payoff replication is possible. For zero interest rates, we have (the general case r > 0 will be considered below)

$$H(S_0, S_1, ..., S_N) = V_0 + \sum_{k=1}^N \delta_{k-1}(S_0, ..., S_{k-1}) \times (S_k - S_{k-1})$$
(2)

and  $V_0$ , the money which is needed to set up the replicating strategy, is the option price, the theoretical fair value of H. Let us introduce the following notation: For any function  $f = f(S_0, S_1, ..., S_N)$  of the price process  $\{S_k\}_{k=0}^N$  we introduce, for time  $t_k$ , a so called conditional expectation

$$\mathsf{E}\Big[f(S_0, S_1, ..., S_N) \,|\, \{S_j\}_{j=0}^k\Big] \tag{3}$$

by considering the time point  $t_k$  as the actual present time such that  $S_k, S_{k-1}, \ldots, S_0$  are actually known but the prices  $S_{k+1}, S_{k+2}, \ldots, S_N$  are unknown since they are still in the future. That is, the  $S_0, \ldots, S_k$  are deterministic quantities given by some realization of returns ret<sub>up</sub>, ret<sub>down</sub>, ret<sub>down</sub>, ..., ret<sub>up</sub> (k returns have realized), but the  $S_{k+1}, S_{k+2}, \ldots, S_N$  are still random, stochastic quantities since the future returns haven't realized yet. To illustrate the concept, let us calculate the conditional expectation

$$\mathsf{E}\left[S_{k+1} \mid \{S_j\}_{j=0}^k\right] \tag{4}$$

According to (1) we have

$$S_{k+1} = S_k \times (1 + \operatorname{ret}_{k+1}) \tag{5}$$

with

$$\operatorname{ret}_{k+1} = \begin{cases} \operatorname{ret}_{up} & \text{with probability } p \\ \operatorname{ret}_{down} & \text{with probability } 1-p \end{cases}$$
(6)

Thus,

$$E[S_{k+1} | \{S_j\}_{j=0}^k] = E[S_k \times (1 + \operatorname{ret}_{k+1}) | \{S_j\}_{j=0}^k]$$
  
=  $S_k \times E[1 + \operatorname{ret}_{k+1} | \{S_j\}_{j=0}^k]$   
=  $S_k \times (1 + E[\operatorname{ret}_{k+1} | \{S_j\}_{j=0}^k])$   
=  $S_k \times (1 + \operatorname{ret}_{up} \cdot p + \operatorname{ret}_{down} \cdot (1 - p))$  (7)

The choice of p which makes the conditional expectation (7) equal to  $S_k$ 

$$\mathsf{E}\left[S_{k+1} \mid \{S_j\}_{j=0}^k\right] \stackrel{!}{=} S_k \tag{8}$$

is called the risk neutral probability (in case of zero interest rates). A stochastic process which fulfills equation (8) for all k is called a martingale. For zero interest rates, this risk neutral probability is obtained through

$$S_k \times \left(1 + \operatorname{ret}_{up} p + \operatorname{ret}_{down}(1-p)\right) \stackrel{!}{=} S_k$$
  

$$\Leftrightarrow \qquad \operatorname{ret}_{up} p + \operatorname{ret}_{down}(1-p) = 0$$
  

$$\Leftrightarrow \qquad (\operatorname{ret}_{up} - \operatorname{ret}_{down})p = -\operatorname{ret}_{down}$$

which gives

$$p = \frac{-\operatorname{ret}_{\operatorname{down}}}{\operatorname{ret}_{\operatorname{up}} - \operatorname{ret}_{\operatorname{down}}} =: p_{\operatorname{risk neutral}}$$
(9)

Apparently the down return  $\operatorname{ret}_{down}$  has to be a negative number to obtain a meaningful p. Now let us fix p to this value (9) and to be more explicit we will use the notation  $\mathsf{E} = \mathsf{E}_{rn}$ , 'rn' for 'risk neutral', to indicate that we are calculating expectation values using the risk neutral probability (9). The importance of this definition is due to the following important calculation:

$$V_{0} = \mathsf{E}_{\mathrm{rn}}[V_{0}] = \mathsf{E}_{\mathrm{rn}}[V_{0} | S_{0}]$$

$$= \mathsf{E}_{\mathrm{rn}}\left[H(S_{0}, S_{1}, ..., S_{N}) - \sum_{k=1}^{N} \delta_{k-1}(S_{0}, ..., S_{k-1}) \times (S_{k} - S_{k-1}) | S_{0}\right]$$

$$= \mathsf{E}_{\mathrm{rn}}\left[H(S_{0}, S_{1}, ..., S_{N})\right] - \sum_{k=1}^{N} \mathsf{E}_{\mathrm{rn}}\left[\delta_{k-1}(S_{0}, ..., S_{k-1}) \times (S_{k} - S_{k-1}) | S_{0}\right]$$
(10)

The expectations in the sum on the right hand side of (10) can be calculated as follows:

And now the decisive property of the risk neutral probability comes into play, namely:

$$\mathsf{E}_{\rm rn} \Big[ S_k \, \big| \, \{S_j\}_{j=0}^{k-1} \Big] - S_{k-1} \stackrel{(8)}{=} S_{k-1} - S_{k-1} = 0 \tag{12}$$

Thus also the expectation (11) vanishes and therefore the whole sum on the right hand side of (10) goes away if we take an expectation with respect to the risk neutral probability. Hence we end up with the compact pricing formula

$$V_0 = \mathsf{E}_{\rm rn} \Big[ H(S_0, S_1, ..., S_N) \Big]$$
(13)

The argument generalizes to non zero interest rates and we summarize the result in the following theorem.

**Theorem 3.1:** Consider a price process  $S_k = S(t_k)$  given by the Binomial model (1). Let  $r \ge 0$  be the interest rates and denote by

$$s_k = e^{-r(t_k - t_0)} S_k$$
 (14)

the discounted price process. Then the following statements hold:

a) Define the risk neutral probability (let us assume that  $\Delta t := t_{k+1} - t_k$  is constant for all  $t_k$  to make the following quantity actually independent of k)

$$p_{\rm rn} = p_{\rm risk\ neutral} := \frac{(e^{r\Delta t} - 1) - \operatorname{ret}_{\rm down}}{\operatorname{ret}_{\rm up} - \operatorname{ret}_{\rm down}}$$
 (15)

and denote expectations with respect to this probability by  $\mathsf{E}_{\mathrm{rn}}[\,\cdot\,]$ . Then the discounted price process  $\{s_k\}_{k=0}^N$  is a martingale with respect to the risk neutral expectation. That is, the following equation holds for all k = 0, 1, 2, ..., N - 1:

$$\mathsf{E}_{\rm rn} \Big[ \, s_{k+1} \, | \, \{ s_j \}_{j=0}^k \, \Big] = s_k \tag{16}$$

b) Let  $H = H(S_0, S_1, ..., S_N)$  be the payoff of some option. Then the theoretical fair value of this option can be obtained from the following risk neutral expectation:

$$V_0 = e^{-r(t_N - t_0)} \mathsf{E}_{\rm rn} \big[ H(S_0, S_1, ..., S_N) \big]$$
(17)

**Proof:** ...machen wir nächste Woche.